

## Product data sheet

### Characteristics

# PDL574

## 2-Way Hot Water Switch With Conduit Entry; 20A, 250V, White



### Main

Range of product	500 Series
Product or component type	Switch
Quantity per set	Set of 10
Type of packing	Carton
Colour tint	White
Motor M-rating AS3133	M60

### Complementary

Control type	Rocker
Material	PC (polycarbonate)
Installation direction	Vertical
Surface finish	Gloss
Width	52 mm
Height	79 mm
[Ue] rated operational voltage	250 V AC 50 Hz
Network number of phases	1 phase
Number of gangs	1 gang
Number of poles	1
Connections - terminals	3 screw terminal
Marking	Hot water switch
Device mounting	Surface
Fixing center	47 x 34.2 mm

### Environment

Ambient air temperature for operation	-10...40 °C
---------------------------------------	-------------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	0.083 kg
Package 1 Height	45 mm
Package 1 width	52 mm
Package 1 Length	80 mm

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

## Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>